Sugarbeet Injury & Control of Common Ragweed (2014 - Mayville, ND)



Up to one inch common ragweed

Herbicide Treatment ¹	Rate	July 7 Beet Injury	July 7 Rweed Control	July 14 Rweed Control	July 25 Rweed Control	
	fl oz/A	(%)				
PowerMax / PMax / PMax	28 / 28 / 22	1	74	74	76	
PMax+Stinger / PMax+Stinger / PMax	28+2 / 28+2 / 22	3	89	88	92	
PMax+Stinger / PMax+Stinger / PMax	28+4 / 28+4 / 22	9	95	95	95	
LSD (0.05)		10	14	11	10	

¹All treatments were applied with N-Pak AMS at 2.5% v/v and Prefer 90 NIS at 0.25% v/v

Sugarbeet Injury & Control of Common Ragweed (2014 - Mayville, ND)



Up to two inch common ragweed

Herbicide Treatment ¹	Rate	July 7 Beet Injury	July 7 Rweed Control	July 14 Rweed Control	July 25 Rweed Control	
	fl oz/A	(%)				
PowerMax / PMax / PMax	28 / 28 / 22	11	81	76	75	
PMax+Stinger / PMax+Stinger / PMax	28+2 / 28+2 / 22	14	84	83	89	
PMax+Stinger / PMax+Stinger / PMax	28+4 / 28+4 / 22	10	84	84	93	
LSD (0.05)		10	14	11	10	

¹All treatments were applied with N-Pak AMS at 2.5% v/v and Prefer 90 NIS at 0.25% v/v

Control of common ragweed - 1 inch or less...



PowerMax plus Stinger, 28 fl oz + 2 fl oz fb PowerMax plus Stinger, 28 fl oz + 2 fl oz fb PowerMax, 22 fl oz

PowerMax, 28 fl oz fb PowerMax, 28 fl oz fb PowerMax, 22 fl oz



Control of common ragweed - 2 inches or less...



PowerMax plus Stinger, 28 fl oz + 4 fl oz fb PowerMax plus Stinger, 28 fl oz + 4 fl oz fb PowerMax, 22 fl oz PowerMax, 28 fl oz fb PowerMax, 28 fl oz fb PowerMax, 22 fl oz



Recommendations for Common Ragweed Control



- For common ragweed control less than 1" tall
 - Roundup PowerMax at 28 fl oz/A + Stinger at 2 fl oz/A
 - Make a repeat application approximately 14 days following the 1st application.
- For common ragweed control less than 2" tall
 - Roundup PowerMax at 28 fl oz/A + Stinger at 3 fl oz/A
 - Make a repeat application approximately 14 days following the first application.
- For common ragweed control in fields that are up to 4" tall
 - Roundup PowerMax at 28 fl oz/A + Stinger at 4 fl oz/A or
 - Roundup PowerMax at 28 fl oz/A + Stinger at 2 fl oz/A + either ethofumesate at 4 fl oz/A, UpBeet at 0.5 oz/A or Betamix at 12 fl oz/A
 - Make a repeat application approximately 14 days following the first application

**Use AMS at 8.5-17 lb per 100 gallon and NIS surfactant at 0.25% v/v; use HSMOC at 1.5 pt/A with ethofumesate or Betamix