

Trial Info.

- Planted: May 21, 2020
- Inoculated: May 21, 2020
- POST Fungicide application: June 17, 2020 (4-lf growth stage)
- Harvested: September 28, 2020

- Objective: Evaluate *Minuet* fungicide + *AZteroid* fungicide applied in-furrow versus *AZteroid* fungicide alone applied in-furrow for control of *Rhizoctonia*.


- *All treatments received a POST application of Proline (banded).*

Minuet - Rhizoc Control



LSD (p=0.10): NS
CV: 16.20

Stand Count – June 5, 2020




Minuet - Rhizoc Control



LSD (p=0.10): NS
CV: 13.82

Stand Count – June 15, 2020




Minuet - Rhizoc Control



LSD (p=0.10): NS
CV: 9.45

Stand Count – June 19, 2020




Minuet - Rhizoc Control



LSD (p=0.10): NS
CV: 8.44


Stand Count – June 24, 2020



Minuet - Rhizoc Control




LSD (p=0.10): NS
CV: 2.69



Minuet - Rhizoc Control




LSD (p=0.10): 0.86
CV: 0.92



Minuet - Rhizoc Control



LSD (p=0.10): 2.17
CV: 5.87




Treatments with the same letter are not statistically different

Minuet - Rhizoc Control



LSD (p=0.10): NS
CV: 3.63

Recoverable Sugar per Ton




Minuet - Rhizoc Control



LSD (p=0.10): 808.26
CV: 7.18

Recoverable Sugar per Acre



Treatments with the same letter are not statistically different